

FROM BELGIUM WITH LOVE

Delicious waffles and chocolate prepared with love – that's what Belgium is famous for, right? Not exactly. For a while now, Belgium also stands for trendy lights that not only look great, but also have compelling inner values. State-of-the-art LEDs that feel equally at home in a cosy attic apartment or in the hippest club in the city. Because they save space, preserve resources, and offer a greater quality of life. And that is exactly what we at Wever & Ducré want. Where do we get our inspiration? From people like you who share our passion for beautiful things and who attach just as much importance to appealing design as to high-quality construction. Sounds good?

Then keep reading. The newest highlights are waiting for you.



Designer Jules Wabbes with one of his desks at the Royale Belge, Brussels 1971 © Wabbes Sofam, Brussels, 2017.

"You can learn new things from old ones."




J.J.W. CEILING SUSPENDED




COLORS:






6x QA60 max.53W | E27 220-240VAC | 50-60Hz aluminium lacquered

> 2200K I 400lm 2700K I 600lm






SPYDER CEILING RECESSED
















1.0

LED 7/10W | 350-500mA | 18Vf COB 3-step | excl. power supply aluminium | steel powder coated

3000K I 470-640lm I >790CRI



REVER TABLE





1.0

LED 2.5W | 160lm | 2700K | touch dim | magnetic pole with optional base | rechargeable li-ion battery incl. 1.5m usb charging cable | lights up to 8 hours powder coated zinc alloy | PMMA


Optional

Magnetic flat plate to add to REVER DINING with magnetic fixation suitable to put under the table cloth powder coated steel






3000K I 1250lm I >80CRI 4000K I 1300lm I >80CRI



BEBOW CEILING SURFACE



COLORS:



3.0

LED 35W | 220-240VAC | 50-60Hz PCB 3-step | incl. PS | phase-cut dim opal cover | two circuits aluminium powder coated opal PMMA cover

3000K | >80 CRI | 1910lm









COLOR:







1.0

LED 38W | 220-240VAC | 50-60Hz PCB 3-step | phase-cut dim aluminium powder coated opal PMMA cover | indirect

2700K | >80 CRI | 2100lm 3000K | >80 CRI | 2250lm 2.0

LED 47W | 220-240VAC | 50-60Hz PCB 3-step | phase-cut dim aluminium powder coated opal PMMA cover | direct/indirect

2700K | >80 CRI | 370/2100lm 3000K | >80 CRI | 400/2250



670 Florentino Torres Street, Sta. Cruz, Manila



2/F Le Mar Ben II Building 747 San Bernardo Street, Sta. Cruz, Manila T: +(632) 8733 8353 to 56 | M: +(63) 917 55-CENIT (23648)





shop.cenitlighting.com

