
iN
ARCHITECTURAL
GENERAL OUTDOOR
URBAN | PROFESSIONAL
LIGHTING SOLUTIONS
Exclusively distributed by:
Cenit
Illuminating Ways of Living

PERFORMANCE iN LIGHTING

PERFORMANCE iN LIGHTING is an international group based in Colognola ai Colli, in the province of Verona with important manufacturing sites in Germany, Belgium and the USA. With over 700 employees and numerous affiliated companies which allow us to have a global vision on the lighting world.

An international voice with a stylistic approach well anchored in “Made in Italy” and a technological research worthy of the best “Made in Germany”.

Cenit

Illuminating Ways of Living

Cenit was established in 1992 and began as a lighting distributor, representing prestigious global brands from Europe and the USA to offer a full range of indoor and outdoor lighting solutions for commercial, institutional, residential, infrastructure, public spaces, and other applications for the Philippine market.

The Cenit team regularly undergoes extensive product training to develop the expertise to provide customers safe, reliable, energy efficient, and cost-effective solutions that meet project and budget requirements while fulfilling the project’s vision and goals.

Cenit provides customer services covering technical consultation, basic lighting calculation, product installation assistance, and maintenance service support.

Today, the company is expanding its product and solutions portfolio and introducing innovative new products to serve its customers better.

ARCHITECTURAL

Technology, design, and innovation. Our lighting systems emphasize shapes and enhance the material for a unique final result: shaping an idea.





GENERAL OUTDOOR

Lighting for residential contexts, historic homes, holiday homes and gardens: the outdoor lighting design includes a variety of solutions suited to each context.

URBAN

A custom-made lighting solution for each urban area: streets, car parks, squares, green areas, playgrounds, bridges, pedestrian streets. Urban lighting systems that combine collective and individual interests.





PROFESSIONAL

From the lighting of sports facilities to airport lighting, from stadiums to the façades of the most important buildings: where the complexity and technological innovation comes into play, and the extent of the range of characteristics is the key.

ARCHITECTURAL



NEW



KHA SLIM
Bollard

- 13W LED
- 483 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP66
- DxH (mm)
  90Ø x 2220



MIMIK POST 300
Bollard

- 10W LED
- 745 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP65
- LxWxH (mm)
  130 x 130 x 353



MIMIK POST 600
Bollard

- 10W LED
- 1006 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP65
- LxWxH (mm)
  130 x 130 x 653



PADO
Bollard

- 20W LED
- 1080 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP65
- DxH (mm)
  208Ø x 75

NEW



TYK + 10 C/I
Floodlight

- 7W LED
- 650 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP66
- LxWxH (mm)
  105 x 65 x 131

NEW



TYK + 20 C/I
Floodlight

- 50W LED
- 4255 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP66
- LxWxH (mm)
  234 x 114 x 2745



FOCUS ZERO
Floodlight

- 10W LED
- 611 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP65
- LxWxH (mm)
  80 x 30 x 132



FOCUS+1
Floodlight

- 18W LED
- 1680 lm
- 3000K
- CRI70
- 220-240V 50/60 Hz
- IP66
- LxWxH (mm)
  160 x 43 x 223



TRACCIA
Linear Recessed

- 20W LED
- 1530 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP67
- LxWxH (mm)
  525 x 98 x 160



NOTTURNO
Linear Wall

- 20W LED
- 1623 lm
- 3000K
- CRI80
- LED Driver
- IP66
- LxWxH (mm)
  504 x 52 x 60



CRICKET + 10
Ingrounds

- 5W LED
- 415 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP67
- DxH (mm)
  105Ø x 82



CRICKET + 20
Linear Recessed

- 26W LED
- 2177 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP67
- ØxH (mm)
  270Ø x 145



GENERAL OUTDOOR


NEW



SHIELD + 1
Wall Mounted

- 13/19/27W LED
- 2808 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP66
- LxWxH (mm)
  220 X 114 X 230

NEW



ORION V B NB
Wall Mounted

- 10W LED
- 243 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP65
- LxWxH (mm)
  90 x 50 x 120



POLO + 1
Wall Mounted

- 11.5W LED
- 474 lm
- 3000K
- CRI80

220-240V 50/60 Hz
IP65
LxWxH (mm)
151 x 58 x 80




INSERT ZERO
Recessed Wall

- 4.5W LED
- 125 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP65
- LxWxH (mm)
  107 x 49 x 75




INSERT + 1
Recessed Wall

- 6W LED
- 222 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP65
- LxWxH (mm)
  224 x 64 x 55



MIMIK 10
Wall Mounted

- 5/10W LED
- 451/880 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP65
- LxWxH (mm)
  126 x 42 x 126



MIMIK 20
Wall Mounted

- 13.5/24W LED
- 960/1930 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP65
- LxWxH (mm)
  200 x 42 x 200




QUASAR 10
Wall Mounted

- 3.0/6W LED
- 92/150 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP44
- LxWxH (mm)
  100 x 100 x 100




QUASAR 10 CEILING
Ceiling Surface Mounted

- 50W LED
- 500lm
- 4000K
- CRI80
- 220-240V 50/60 Hz
- IP40
- LxWxH (mm)
  100 x 100 x 100



MIMIK 10
Ceiling Surface Mounted

- 10W LED
- 701/806 lm
- 3000/4000K
- CRI80
- 220-240V 50/60 Hz
- IP65
- LxWxH (mm)
  127 x 127 x 65



MIMIK 20
Ceiling Surface Mounted

- 23.5W LED
- 1721 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP65
- LxWxH (mm)
  200 x 200 x 42



Q-CEILING
Linear Recessed

- 24W LED
- 1874/2374 lm
- 3000K
- CRI85
- 220-240V 50/60 Hz
- IP65
- LxWxH (mm)
  135 x 135 x 200



NEW



HEDO + C
Street Lighting

- 42W LED
- 3710 lm
- 3000K
- CRI80
- 220-240V 50/60 Hz
- IP65
- ØxH (mm) 330 x 475


NEW



KREOS
Street Lighting

- 63W LED
- 7930 lm
- 3000K
- CRI70
- 220-240V 50/60 Hz
- IP66
- LxWxH (mm) 536 x 300 x 268

NEW



KYRO+
Street Lighting

- 70W LED
- 9205 lm
- 3000K
- CRI70
- 220-240V 50/60 Hz
- IP66
- LxWxH (mm) 690 x 275 x 131



THEOS GLASS
Street Lighting

- 136W LED
- 19284 lm
- 3000K
- CRI70
- 220-240V 50/60 Hz
- IP66
- LxWxH (mm) 696 x 315 x 193



THEOS MINI GLASS 35W
Street Lighting

- 35W LED
- 4903 lm
- 3000K
- CRI70
- 220-240V 50/60 Hz
- IP66
- LxWxH (mm) 506 x 280 x 193



THEOS MINI GLASS 71W
Street Lighting

- 71W LED
- 8490 lm
- 3000K
- CRI70
- 220-240V 50/60 Hz
- IP66
- LxWxH (mm) 506 x 280 x 193



PROFESSIONAL

NEW



LASER +20
Spotlight

- 1060W LED
- 169600 V lm
- 5700K
- CRI70
- 220/240V 50/60 Hz
- IP66
- LxWxH (mm)
  562 x 98 x 501

NEW



LASER +30
Spotlight

- 1592W LED
- 254700 lm
- 5700K
- CRI90
- 220-240V 50/60 Hz
- IP66
- LxWxH (mm)
  730 x 785 x 440



GUELL 1
Spotlight

- 39/58W LED
- 3487/6092 lm
- 3000/5000K
- CRI80
- 220-240V 50/60 Hz
- IP66
- LxWxH (mm)
  265 x 85 x 319



GUELL 2.5
Spotlight

- 150W LED
- 24950 lm
- 5000K
- CRI80
- 220-240V 50/60 Hz
- IP66
- LxWxH (mm)
  395 x 90 x 455



GUELL 3
Spotlight

- 212W LED
- 16686 lm
- 4000K
- CRI80
- 220-240V 50/60 Hz
- IP66
- LxWxH (mm)
  533 x 58 x 501




GUELL 4
Spotlight

- 430W LED
- 43532 lm
- 4000K
- CRI80
- 220-240V 50/60 Hz
- IP66
- LxWxH (mm)
  570 x 100 x 330

PROJECT REFERENCES



KHA SLIM




FOCUS + 1



INSERT + 1



SHIELD + 1



LASER + 30

Cenit
Illuminating Ways of Living

SHOWROOM:
670 Florentino Torres Street, Sta. Cruz, Manila
T: +(632) 8733 8351 to 52 | M: +(63) 915 6024856 +(63) 9175615922

HEAD OFFICE:
2/F Le Mar Ben II Building 747 San Bernardo Street, Sta. Cruz, Manila
T: +(632) 8733 8353 to 56 | M: +(63) 917 55-CENIT (23648)

marketing@cenitlighting.com
www.cenitlighting.com
shop.cenitlighting.com