




Cenit was established in 1992 and began as a lighting distributor, representing prestigious global brands from Europe and the USA to offer a full range of outdoor and indoor lighting solutions for commercial, institutional, residential, infrastructure, public spaces, and other applications for the Philippine market.

The Cenit team regularly undergoes extensive product training to develop the expertise to provide customers safe, reliable, energy efficient, and cost-effective solutions that meet project and budget requirements while fulfilling the project's vision and goals.

Cenit provides customer services covering technical consultation, basic lighting calculation, product installation assistance and maintenance service support.

Today, the company is expanding its product and solutions portfolio and introducing innovative new products to serve its customers better.







Water Dispensers / Dehumidifier

p. 4 - 5





Lighting p. 6 –11















Lighting Controls p. 12











HYDROTAP TOUCH-FREE WAVE

Sensor Technology for Handsfree

Zip HydroTap Touch-Free Wave Boiling, Chilled, Sparkling, Filtered water uses smart infrared 100% touch-free operation that is activated with the Wave of a hand.

BOILING FILTERED FILTERED SPARKLING







ZIP MICRO

Intuitive Twist Activation

Zip Micro is our smallest system, designed to fit under almost any bench, but still delivers perfectly boiling and chilled water at your fingertips. Zip Micro is perfect for small workplaces with up to 10 people.

FILTERED FILTERED CHILLED







HYDROTAP CLASSIC PLUS

Touch-pad Classic Plus

Zip HydroTap Classic Plus Boiling, Chilled, Sparkling, Filtered water features simple, intuitive controls including continuous flow to fill bottles, Boiling water safety lock, and SteriTouch® antimicrobial protection impregnated within the new Classic Plus touch-pad for enhanced hygiene.

FILTERED SPARKLING





HYDROBOIL PLUS

On Wall Boiling Water

Our most technologically advanced model, the HydroBoil Plus is designed to cut energy consumption. State-of-the-art technology maintains boiling water to within 0.5°C of set temperature. In addition HydroBoil Plus features energy-saving Power-Pulse™ technology, inactivity and low-light sleep modes, along with timer settings for ease of use and efficiency.



We offer a comprehensive service plan to ensure that your business is back up and running quickly. Our services are tailored to meet your needs.

Why choose ZipCare? The ZipCare Program offers:

Filter Change Service

Annual Sanitation

Annual Check Up Service

Quarterly Preventive Maintenance Visit

Standard Water Test

Assistance for Repair and Replacement as needed

Others



HYDRATION & DEHUMIDIFIER SOLUTIONS



Sensor Activated Water Dispenser

Kalix Contactless Water Dispenser uses advanced infrared sensors for automatic water dispense activation which also eliminates any concerns of cross-contamination from pathogens and viruses. Ideal for Offices, Hotels, Hospitals, Convention Centers, Manufacturing plants, and Residential use.



ULTRA BLUv

Smart UV Water Sterilizer

ULTRA BLUv utilizes the most advanced UV technology. Eliminating 99.9% of bacteria & viruses in water. It is the industry's most compact, energy efficient and intelligent UV sterilizer. ULTRA BLUv can be easily installed to upgrade your Point-of-Use dispensing system or filtration system.



AQUA POINTE

Sensor Activated Bottle Filler

Aqua Pointe delivers ambient drinking water. This surface mounted bottle filler includes an electronic sensor for a contactless activation. The Bottle Counter conveniently displays the number of times the unit has been used, encouraging the refill of sports bottles. Ideal to complement drinking fountains of schools, gyms, airports and other public areas for people who bring their own personal water bottles.



DEHUMIDIFIER

Evolution D165

The classic-evolution dehumidifier range has withstood the test of time with its timeless design and engineering as the world's first electric dehumidifier. Each cabinet is built with long-lasting laminated steel, equipped with an efficient refrigeration system that features an automatic humidistat control and an auto-defrost system.









SOLAR lantern in classic style with motion sensor and replaceable battery. Provided with TÜV-CB certified, Kelvin settable LED solar module, adjustable in three different working mode. Made of shockproof resin material, UV-rays stabilized, rust and corrosion-free.



Classic style E27 hexagonal lantern, made of shockproof resin, UV stabilized, resistant to rust and corrosion. Suitable for post top, hanging and wall installation. Provided with high temperature resistant ceiling suitable for ballast fixation. Insulation class II, protection rating IP55.





TUV-CB certified SOLAR wall lamp with motion sensor and replaceable battery. Solar module provided with switch to select the desired Kelvin temperature (3000K – 4000K – 6500K) and working mode (Summer-Rainy). Made of shockproof resin material, UV-rays stabilized, rust and corrosion-free.



Modern luminaries made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Suitable for post top or wall installation. Equipped with TÜV approved, long-life and efficient GX53 LED modular system in different wattages.



INFRASTRUCTURE LIGHTING





ATBS SERIES

LED Roadway

The Autobahn ATBS cobra head uses breakthrough LEDs and precision-engineered optics to provide exceptional LED roadway lighting while also saving energy. Plus, it works seamlessly with the Acuity Brands control systems to maximize energy and maintenance savings through enhanced monitoring and control functions.



ATBM SERIES

LED Roadway

The Autobahn ATBM cobra head uses breakthrough LEDs and precision-engineered optics to provide exceptional LED roadway lighting while also saving 60% energy over HID alternatives.



ATBO SERIES

LED Roadway

Breakthrough LED technology and precision-engineered optics in the ATBO cobra head provide exceptional LED roadway lighting while also saving energy. Best-in-class surge protection and efficacy (lpw).



ATB2 SERIES

LED Roadway

ATB2 cobra head provide exceptional LED roadway lighting while also saving energy. Works seamlessly with the Acuity Brands control systems to maximize energy and maintenance savings through enhanced monitoring and control functions.





ARCHITECTURAL & URBAN LIGHTING

PERFORMANCE IN LIGHTING





FOCUS + ZERO

LED Floodlight

Extra-clear, toughened, flat glass diffuser, silk-screened on the inside. Waterproof cable gland M16x1.5 for cables \emptyset 5- \emptyset 10 mm. Driver On Board 220-240V 50/60Hz LED module protected against surges up to 500V.



Coated die-cast aluminium pole-top adaptor for pole \emptyset 60 / 76 mm. Anti-ageing custom moulded silicone sealing gasket(s) with resilient elastic return capacity. The IP66-rated socket-plug fast connector for mains connection without opening the luminaire.



INSERT + 1

LED Recessed Wall

Anti-ageing custom moulded silicone sealing gaskets. IP-rated external socket-plug fast connector (QUICK), complete with factory pre-wired cable. Electrical connector for cables \emptyset 7 - \emptyset 12 mm.



Die-cast aluminium housing, polyester powder coat finish ISO 9227/12944 - ISO 9223 (C5). Coated die-cast aluminium captive trim, hinged to the housing. Coated die-cast aluminium pole-top adaptor for pole Ø 60 / 76 mm High-transparency polycarbonate optics.












2 Watt solar panel. Silicon rubber gasket. Work time: 100% of light 2.5-3H, 15% of light 20-25H. 6-8H Charging time. Body and bracket in die-cast aluminium.



30° Beam Angle/4.5W, Body and bracket in die-cast aluminium. Powder coated with pretreatment for outdoor use " Clear glass. Silicon rubber gasket.



Heliospot is a portable solar powered floor or ground spotlight that you can carry around and place in outdoor garden. Solar LED ground/floor luminaire, direct light, medium beam, with twilight sensor.



UP MAXI

LED Inground Luminaire

UP Maxi inground LED lighting fixture powered by 12 or 24Volts DC only. Ideal for pool decks, patios, gardens, pathways, building entrances and other in-ground application.









NAUTILUS

Submerged Lights

Nautilus has an understated design featuring a precision electro-polished AISI 316 steel frame, which is flat for structures covered in tiles or mosaics, or rounded for structures with a waterproofing cover or sheet.



RODIX

Submerged Lights

Single emission submerged for outdoor application. The natural white LED light source with a spot light distribution is composed of 6 powerled LEDs with CCT of 4000 K and a CRI 80; the source luminous flux is 1818 lm, with a 129.9 lm/W nominal luminous efficacy.



OFFICE LIGHTING



MUTE

Ceiling Suspended

Mute is soft, colorful and sound absorbing large format downlight pendant is composed of twelve felt-like acoustic panels surrounding a custom LED light source with a wide planar diffuser. Custom LED light engine supplied with a standard dimming driver (0-10V or phase).



OSLO

Ceiling Suspended

Warm and delicate, this large pendant features direct uplight and indirect downlight giving a nicely toned atmosphere to interior spaces. Made out of molded recycled acoustical PET felt, the shape reminds the effects of rippling water.







COMMERCIAL & INDUSTRIAL LIGHTING



BLT SERIES

LED Center Basket Troffers

The BLT Series by Lithonia Lighting® is what you've come to expect from the leader in lighting. With its endless options and configurations, BLT provides the versatility you need at a value that can't be beat.



JEBL SERIES

LED Round High Bay

Maintaining exceptional light levels even at high ambient temperatures and able to withstand moisture, dust and airborne contaminants. JEBL is durable, easy to install, can be used in multiple applications and saves you time and money.



CPX™ SERIES

LED Flat Panels Troffers

 CPX^{\bowtie} is the perfect choice for a quality LED panel at an affordable price. The smooth, even lens projects a crisp and clean aesthetic. CPX is the perfect choice for budget-conscious schools, commercial office, and retail footprint projects.



CSVT™ SERIES

LED Linear Vapor Tight Lighting

CSVT™ is built on the technological framework of the CSS, providing greater customization and performance for everyday spaces. And with the ability to switch lumens and adjust color temperature in one fixture, the CSVT can easily be adapted to the needs of each project.





CONTROLS & ACCESSORIES



Sensor Switch solutions are a leader in lighting control innovation, offering a broad selection of standalone to fully networked controls to meet every application need. With the combination of sound- and heat-sensing technology, occupancy within a room can be detected with great precision in any area where network-controlled lights are installed.







WSX Wall Sensor Switches

Soft-click buttons and small motion detection up to 20 feet (6.10 m), making them ideal for private offices, private restrooms, closets, copy rooms or any other small enclosed space.

SPODMRD 0-10 Dimming Switch

The push-button Dimming Switchpod Series of wall stations provide simple and cost effective solutions for commercial and residential lighting applications.

CM Ceiling Mounted Sensors

Ceiling mount sensors are offered in a multitude of configurations which address many applications. Lens options include large motion extended range, small motion standard range and bi-directional for hallways.



For more than 30 years, Techno has been in the forefront of designing and manufacturing reliable and certified electrical connecting solutions. The brand carries a wide range of high performance electrical connections suited for inground and underwater applications.



THB.392.A4A.L

Connection: 4-way junction Number of Poles: 4 Operating current: max. 17.5A Operating voltage: max. 450V AC Cable diameter (min-max): 7.0mm - 13.5mm IP Protection: IP68



THB.402.04A

Connection: 3-way junction Number of Poles: 4 Operating current: max. 32A Operating voltage: max. 450V AC Cable diameter (min-max): 7.0mm - 13.5mm IP Protection: IP68

THB.391.A4A

Connection: In-line Number of Poles: 4 Operating current: max. 32A Operating voltage: max. 450V AC Cable diameter (min-max): 7.0mm - 12mm IP Protection: IP68



SHOWROOM

670 Florentino Torres Street, Sta. Cruz, Manila T: +(632) 8733 8351 to 52 | M: +(63) 915 6024856 +(63) 9175615922