



Italian Design Lighting

Bollard

Ceiling Lights

Table Lamps

Wall Lights

Ground / Spotlights

BEAUTY, FUNCTIONALITY, QUALITY.

BOLLARDS



650mm
82mm

Orbit

- 10W
- 3000K
- 680lm
- 99° Beam Angle
- 220-240V
- IP54



650mm
220mm

Eclissi

- 15W
- 3000K
- 480lm
- 197° Beam Angle
- 220-240V
- IP54



SOLAR

Planet

- 3.3W
- 3000K
- 243lm
- 107° Beam Angle
- DC 3.7V
- IP54



SOLAR

Heliostepper

- 1.3W
- 3000K
- 110lm
- 94° Beam Angle
- DC 3.7V
- IP54




Bol - H650

- E27
- 15W max
- 220V-240V
- IP54



Ara-M340


- 7W
- 3000K
- 513lm
- 42° Beam Angle
- 220-240V
- IP54



SOLAR

Ara Maxi Solar

- 2.2W
- 3000K
- DC 3.7V
- IP54



SOLAR

Ara Square Solar

- 3.5W
- 3000K
- DC 3.7V
- IP54



SOLAR

Vido Solar Maxi

- 2.2W
- 3000K
- DC 3.7V
- IP54



SOLAR

Vido Sola Mini

- 2.2W
- 3000K
- DC 3.7V
- IP54



Ara Maxi

- 15W
- 3000K
- 220-240V
- IP65



Pilum

- 10W
- 3000K
- 220-240V
- IP65



Fillet

- 10W
- 3000K
- 220-240V
- IP65




CEILING Lights




Comfort

- 10W
- 3000K
- 1003lm
- 26° Beam Angle
- 220-240V
- IP20


TABLE Lamps

RECHARGEABLE

Itinera

- 2.2W
- 3000K
- 167lm
- 46° Beam Angle
- DC 3.7V
- IP54














RECHARGEABLE










Smart

- 2.2W
- 3000K
- 154lm
- 106° Beam Angle
- DC 3.7V
- IP54

WALL Lights

	<p>CCT Settable: 3000K / 4000K</p>  <p>Nudus Up-Down</p> <ul style="list-style-type: none"> • 20W • 1742lm • 220-240V • 107° Beam Angle • IP65 		 <p>Dual Maxi</p> <ul style="list-style-type: none"> • 2xGU10 up to 7W • 3000K • 220V-240V • IP65 		
<p>CCT Settable: 3000K / 4000K</p>  <p>Nudus Down</p> <ul style="list-style-type: none"> • 15W • 220-240V • IP65 	<p>CCT Settable: 3000K / 4000K</p>  <p>Nudus Mini Up-Down</p> <ul style="list-style-type: none"> • 15W • 220-240V • IP65 	 <p>Ortho Horizon</p> <ul style="list-style-type: none"> • 9W • 3000K • 220-240V • IP65 	 <p>Ortho Square Mini</p> <ul style="list-style-type: none"> • 4W • 3000K • 220-240V • IP65 	 <p>Vido Mini</p> <ul style="list-style-type: none"> • E27 • 15W max • 220-240V • IP54 	 <p>Bol - H240</p> <ul style="list-style-type: none"> • E27 • 15W max • 220-240V • IP65

GROUND / SPOTLIGHT

	 <p>Radar Tetra</p> <ul style="list-style-type: none"> • 7W • 3000K • 188lm • 70° Beam Angle • 220-240V • IP67 		 <p>Collimator Maxi/Mini</p> <ul style="list-style-type: none"> • 4.5W • 3000K • 417m • 30° Beam Angle • 220-240V • IP65 	
 <p>Up Maxi</p> <ul style="list-style-type: none"> • 3x2W • 3000K • 220-240V • IP67 	 <p>Heliospot</p> <ul style="list-style-type: none"> • 0.5W • 3000K • DC 3.7V • IP65 	 <p>Cubic Mini</p> <ul style="list-style-type: none"> • 9W • 3000K • 220-240V • IP65 	 <p>Cubic Micro</p> <ul style="list-style-type: none"> • 1W • 3000K • 12-24VDC • IP65 	 <p>Pixie Ground Mini</p> <ul style="list-style-type: none"> • 15W • 3000K • 220-240V • IP65